

Message

From: Robinson, Valois [Robinson.Valois@epa.gov]
Sent: 10/19/2020 11:14:34 PM
To: Chin, Lucita [Chin.Lucita@epa.gov]; Arnold, Rick [Arnold.Rick@epa.gov]
Subject: RE: suggested response to comment #165

The last paragraph of the response was the original response – I just didn't delete it. I think it can be deleted since Rick made the change in the Class V permit related to the float shoe requirement.

Valois

Valois Robinson
EPA Region 8
Underground Injection Control Program
MailCode: 8WD-SDU
1595 Wynkoop Street
Denver, CO 80202-1129
(303) 312-6276
robinson.valois@epa.gov

From: Chin, Lucita <Chin.Lucita@epa.gov>
Sent: Monday, October 19, 2020 3:44 PM
To: Arnold, Rick <Arnold.Rick@epa.gov>; Robinson, Valois <Robinson.Valois@epa.gov>
Subject: RE: suggested response to comment #165

Ok, so I finished updating the first paragraph here.

Ex. 5 AC/DP

Ex. 5 Deliberative Process (DP)

Ex. 5 AC/DP

Lucita Chin
Senior Assistant Regional Counsel | Office of Regional Counsel | Media Law Counseling Section
Environmental Protection Agency Region 8 | 1595 Wynkoop St. | Mail Code: 8ORC-LC-M | Denver, CO 80202
Office: (303) 312-7832

From: Arnold, Rick <Arnold.Rick@epa.gov>
Sent: Monday, October 19, 2020 11:12 AM
To: Robinson, Valois <Robinson.Valois@epa.gov>; Chin, Lucita <Chin.Lucita@epa.gov>
Subject: RE: suggested response to comment #165

Done.

From: Robinson, Valois <Robinson.Valois@epa.gov>
Sent: Monday, October 19, 2020 9:53 AM

To: Arnold, Rick <Arnold.Rick@epa.gov>; Chin, Lucita <Chin.Lucita@epa.gov>

Subject: RE: suggested response to comment #165

That sounds good to me.

Thanks!

Valois

Valois Robinson

EPA Region 8

Underground Injection Control Program

MailCode: 8WD-SDU

1595 Wynkoop Street

Denver, CO 80202-1129

(303) 312-6276

robinson.valois@epa.gov

From: Arnold, Rick <Arnold.Rick@epa.gov>

Sent: Monday, October 19, 2020 9:45 AM

To: Robinson, Valois <Robinson.Valois@epa.gov>; Chin, Lucita <Chin.Lucita@epa.gov>

Subject: RE: suggested response to comment #165

Sounds good.

Ex. 5 Deliberative Process (DP)

From: Robinson, Valois <Robinson.Valois@epa.gov>

Sent: Saturday, October 17, 2020 2:28 PM

To: Arnold, Rick <Arnold.Rick@epa.gov>; Chin, Lucita <Chin.Lucita@epa.gov>

Subject: suggested response to comment #165

Ex. 5 Deliberative Process (DP)

Valois

Valois Robinson
EPA Region 8
Underground Injection Control Program
MailCode: 8WD-SDU
1595 Wynkoop Street
Denver, CO 80202-1129
(303) 312-6276
robinson.valois@epa.gov